

SEQUENCE LISTING

<110> Jamal, TEMSAMANI
 Michel, KACZOREK
 Annik, COLIN DE VERDIÈRE
 <110> SYNT:EM SA

<120> Pharmaceutical composition comprising an anti-cancer agent and at least a peptide

<130> 320654US0PCT

<140> US 09/856,940

<141> 11-26-1999

<150> FR98/15073

<151> 11-30-1998

<150> PCT/FR99/02939

<151> 11-26-1999

<160> 13

<170> PatentIn version 3.1

<210> 1

<211> 18

<212> PRT

<213> porcus

<220>

<221> PEPTIDE

<222> (1)..(18)

<223> Protegrin PG1

<400> 1

| | | | | | | | | | | | | | | | |
|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| Arg | Gly | Gly | Arg | Leu | Cys | Tyr | Cys | Arg | Arg | Arg | Phe | Cys | Val | Cys | Val |
| 1 | | | | 5 | | | | | 10 | | | | | 15 | |

Gly Arg

<210> 2

<211> 16

<212> PRT

<213> porcus

<220>

<221> PEPTIDE

<222> (1)..(16)

<223> Protegrin PG2

<400> 2

| | | | | | | | | | | | | | | | |
|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| Arg | Gly | Gly | Arg | Leu | Cys | Tyr | Cys | Arg | Arg | Arg | Phe | Cys | Ile | Cys | Val |
| 1 | | | | 5 | | | | | 10 | | | | | 15 | |

<210> 3

<211> 18

<212> PRT

<213> porcus

<220>

<221> PEPTIDE

<222> (1)..(18)

<223> Protegrin PG3

<400> 3

| | | | | | | | | | | | | | | | |
|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| Arg | Gly | Gly | Gly | Leu | Cys | Tyr | Cys | Arg | Arg | Arg | Phe | Cys | Val | Cys | Val |
|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|

1 5 10 15

Gly Arg

```
<210> 4
<211> 18
<212> PRT
<213> porcus
<220>
<221> PEPTIDE
<222> (1)..(18)
<223> Protegrin PG4
<400> 4
Arg Gly Gly Arg Leu Cys Tyr Cys Arg Gly Trp Ile Cys Phe Cys Val
1 5 10 15
```

Gly Arg

```
<210> 5
<211> 18
<212> PRT
<213> porcus
<220>
<221> PEPTIDE
<222> (1)..(18)
<223> Protegrin PG5
<400> 5
Arg Gly Gly Arg Leu Cys Tyr Cys Arg Pro Arg Phe Cys Val Cys Val
1 5 10 15
```

Gly Arg

```
<210> 6
<211> 18
<212> PRT
<213> Limmulus polyphemus
<220>
<221> PEPTIDE
<222> (1)..(18)
<223> Polyphemusin P1
<400> 6
Arg Arg Trp Cys Phe Arg Val Cys Tyr Arg Gly Phe Cys Tyr Arg Lys
1 5 10 15
```

Cys Arg

```
<210> 7
<211> 18
<212> PRT
<213> Limmulus polyphemus
<220>
<221> PEPTIDE
<222> (1)..(18)
<223> Polyphemusin P2
<400> 7
```

Arg Arg Trp Cys Phe Arg Val Cys Tyr Lys Gly Phe Cys Tyr Arg Lys
 1 5 10 15

Cys Arg

```
<210> 8
<211> 16
<212> PRT
<213> unidentified
<220>
<221> PEPTIDE
<222> (1)..(16)
<223> X1 to X16 are amino acids of which 6 to 10 of them are hydrophobic
amino acids and X6 is Tryptophane
<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> X1
<220>
<221> MISC_FEATURE
<222> (2)..(2)
<223> X2
<220>
<221> MISC_FEATURE
<222> (3)..(3)
<223> X3
<220>
<221> MISC_FEATURE
<222> (4)..(4)
<223> X4
<220>
<221> MISC_FEATURE
<222> (5)..(5)
<223> X5
<220>
<221> MISC_FEATURE
<222> (7)..(7)
<223> X7
<220>
<221> MISC_FEATURE
<222> (8)..(8)
<223> X8
<220>
<221> MISC_FEATURE
<222> (9)..(9)
<223> X9
<220>
<221> MISC_FEATURE
<222> (10)..(10)
<223> X10
<220>
<221> MISC_FEATURE
<222> (11)..(11)
<223> X11
<220>
<221> MISC_FEATURE
<222> (12)..(12)
<223> X12
<220>
<221> MISC_FEATURE
```

```

<222> (13) .. (13)
<223> X13
<220>
<221> MISC_FEATURE
<222> (14) .. (14)
<223> X14
<220>
<221> MISC_FEATURE
<222> (15) .. (15)
<223> X15
<220>
<221> MISC_FEATURE
<222> (16) .. (16)
<223> X16
<400> 8
Xaa Xaa Xaa Xaa Xaa Trp Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa
1 5 10 15

```

```

<210> 9
<211> 18
<212> PRT
<213> unidentified
<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> Groups B may be identical or different, and represent a natural or
non-natural amino acid, including amino acid with D configuration and
represent an amino acid for which the side chain carries a basic group
<220>
<221> MISC_FEATURE
<222> (4)..(4)
<223> Groups B may be identical or different, and represent a natural or
non-natural amino acid, including amino acid with D configuration and
represent an amino acid for which the side chain carries a basic group
<220>
<221> MISC_FEATURE
<222> (9)..(9)
<223> Groups B may be identical or different, and represent a natural or
non-natural amino acid, including amino acid with D configuration and
represent an amino acid for which the side chain carries a basic group
<220>
<221> MISC_FEATURE
<222> (10)..(10)
<223> Groups B may be identical or different, and represent a natural or
non-natural amino acid, including amino acid with D configuration and
represent an amino acid for which the side chain carries a basic group
<220>
<221> MISC_FEATURE
<222> (11)..(11)
<223> Groups B may be identical or different, and represent a natural or
non-natural amino acid, including amino acid with D configuration and
represent an amino acid for which the side chain carries a basic group
<220>
<221> MISC_FEATURE
<222> (18)..(18)
<223> Groups B may be identical or different, and represent a natural or
non-natural amino acid, including amino acid with D configuration and
represent an amino acid for which the side chain carries a basic group
<220>
<221> MISC_FEATURE

```

```

<222> (2)..(2)
<223> Groups X may be identical or different, and represent a natural or
non-natural amino acid, including amino acid with D configuration and
represent a residue of aliphatic or aromatic amino acid
<220>
<221> MISC_FEATURE
<222> (3)..(3)
<223> Groups X may be identical or different, and represent a natural or
non-natural amino acid, including amino acid with D configuration and
represent a residue of aliphatic or aromatic amino acid
<220>
<221> MISC_FEATURE
<222> (5)..(5)
<223> Groups X may be identical or different, and represent a natural or
non-natural amino acid, including amino acid with D configuration and
represent a residue of aliphatic or aromatic amino acid
<220>
<221> MISC_FEATURE
<222> (6)..(6)
<223> Groups X may be identical or different, and represent a natural or
non-natural amino acid, including amino acid with D configuration and
represent a residue of aliphatic or aromatic amino acid
<220>
<221> MISC_FEATURE
<222> (7)..(7)
<223> Groups X may be identical or different, and represent a natural or
non-natural amino acid, including amino acid with D configuration and
represent a residue of aliphatic or aromatic amino acid
<220>
<221> MISC_FEATURE
<222> (8)..(8)
<223> Groups X may be identical or different, and represent a natural or
non-natural amino acid, including amino acid with D configuration and
represent a residue of aliphatic or aromatic amino acid
<220>
<221> MISC_FEATURE
<222> (12)..(12)
<223> Groups X may be identical or different, and represent a natural or
non-natural amino acid, including amino acid with D configuration and
represent a residue of aliphatic or aromatic amino acid
<220>
<221> MISC_FEATURE
<222> (13)..(13)
<223> Groups X may be identical or different, and represent a natural or
non-natural amino acid, including amino acid with D configuration and
represent a residue of aliphatic or aromatic amino acid
<220>
<221> MISC_FEATURE
<222> (14)..(14)
<223> Groups X may be identical or different, and represent a natural or
non-natural amino acid, including amino acid with D configuration and
represent a residue of aliphatic or aromatic amino acid
<220>
<221> MISC_FEATURE
<222> (15)..(15)
<223> Groups X may be identical or different, and represent a natural or
non-natural amino acid, including amino acid with D configuration and
represent a residue of aliphatic or aromatic amino acid
<220>
<221> MISC_FEATURE
<222> (16)..(16)

```

<223> Groups X may be identical or different, and represent a natural or non-natural amino acid, including amino acid with D configuration and represent a residue of aliphatic or aromatic amino acid

<220>

<221> MISC_FEATURE

<222> (17)..(17)

<223> Groups X may be identical or different, and represent a natural or non-natural amino acid, including amino acid with D configuration and represent a residue of aliphatic or aromatic amino acid

<220>

<221> PEPTIDE

<222> (1)..(18)

<223> Peptide of formula (II)

<400> 9

Asx Xaa Xaa Asx Xaa Xaa Xaa Xaa Asx Asx Asx Xaa Xaa Xaa Xaa Xaa

1

5

10

15

Xaa Asx

<210> 10

<211> 17

<212> PRT

<213> unidentified

<220>

<221> MISC_FEATURE

<222> (1)..(1)

<223> Groups B may be identical or different, and represent a natural or non-natural amino acid, including amino acid with D configuration and represent an amino acid for which the side chain carries a basic group

<220>

<221> MISC_FEATURE

<222> (5)..(5)

<223> Groups B may be identical or different, and represent a natural or non-natural amino acid, including amino acid with D configuration and represent an amino acid for which the side chain carries a basic group

<220>

<221> MISC_FEATURE

<222> (9)..(9)

<223> Groups B may be identical or different, and represent a natural or non-natural amino acid, including amino acid with D configuration and represent an amino acid for which the side chain carries a basic group

<220>

<221> MISC_FEATURE

<222> (14)..(14)

<223> Groups B may be identical or different, and represent a natural or non-natural amino acid, including amino acid with D configuration and represent an amino acid for which the side chain carries a basic group

<220>

<221> MISC_FEATURE

<222> (15)..(15)

<223> Groups B may be identical or different, and represent a natural or non-natural amino acid, including amino acid with D configuration and represent an amino acid for which the side chain carries a basic group

<220>

<221> MISC_FEATURE

<222> (17)..(17)

<223> Groups B may be identical or different, and represent a natural or non-natural amino acid, including amino acid with D configuration and represent an amino acid for which the side chain carries a basic group

<220>

```

<221> MISC_FEATURE
<222> (2)..(2)
<223> Groups X may be identical or different, and represent a natural or
non-natural amino acid, including amino acid with D configuration and
represent a residue of aliphatic or aromatic amino acid
<220>
<221> MISC_FEATURE
<222> (3)..(3)
<223> Groups X may be identical or different, and represent a natural or
non-natural amino acid, including amino acid with D configuration and
represent a residue of aliphatic or aromatic amino acid
<220>
<221> MISC_FEATURE
<222> (4)..(4)
<223> Groups X may be identical or different, and represent a natural or
non-natural amino acid, including amino acid with D configuration and
represent a residue of aliphatic or aromatic amino acid
<220>
<221> MISC_FEATURE
<222> (6)..(6)
<223> Groups X may be identical or different, and represent a natural or
non-natural amino acid, including amino acid with D configuration and
represent a residue of aliphatic or aromatic amino acid
<220>
<221> MISC_FEATURE
<222> (7)..(7)
<223> Groups X may be identical or different, and represent a natural or
non-natural amino acid, including amino acid with D configuration and
represent a residue of aliphatic or aromatic amino acid
<220>
<221> MISC_FEATURE
<222> (8)..(8)
<223> Groups X may be identical or different, and represent a natural or
non-natural amino acid, including amino acid with D configuration and
represent a residue of aliphatic or aromatic amino acid
<220>
<221> MISC_FEATURE
<222> (10)..(10)
<223> Groups X may be identical or different, and represent a natural or
non-natural amino acid, including amino acid with D configuration and
represent a residue of aliphatic or aromatic amino acid
<220>
<221> MISC_FEATURE
<222> (11)..(11)
<223> Groups X may be identical or different, and represent a natural or
non-natural amino acid, including amino acid with D configuration and
represent a residue of aliphatic or aromatic amino acid
<220>
<221> MISC_FEATURE
<222> (12)..(12)
<223> Groups X may be identical or different, and represent a natural or
non-natural amino acid, including amino acid with D configuration and
represent a residue of aliphatic or aromatic amino acid
<220>
<221> MISC_FEATURE
<222> (13)..(13)
<223> Groups X may be identical or different, and represent a natural or
non-natural amino acid, including amino acid with D configuration and
represent a residue of aliphatic or aromatic amino acid
<220>
<221> MISC_FEATURE

```

<222> (16)..(16)
 <223> Groups X may be identical or different, and represent a natural or non-natural amino acid, including amino acid with D configuration and represent a residue of aliphatic or aromatic amino acid

<220>

<221> PEPTIDE

<222> (1)..(17)

<223> Peptide of formula (III)

<400> 10

| | | | | | | | | | | | | | | |
|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| Asx | Xaa | Xaa | Xaa | Asx | Xaa | Xaa | Xaa | Asx | Xaa | Xaa | Xaa | Asx | Asx | Xaa |
| 1 | | | | 5 | | | | 10 | | | | | 15 | |

Asx

<210> 11

<211> 18

<212> PRT

<213> unidentified

<220>

<221> PEPTIDE

<222> (1)..(18)

<400> 11

| | | | | | | | | | | | | | | | |
|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| Arg | Gly | Gly | Arg | Leu | Ser | Tyr | Ser | Arg | Arg | Arg | Phe | Ser | Thr | Ser | Thr |
| 1 | | | | 5 | | | | | 10 | | | | | 15 | |

Gly Arg

<210> 12

<211> 18

<212> PRT

<213> unidentified

<220>

<221> PEPTIDE

<222> (1)..(18)

<400> 12

| | | | | | | | | | | | | | | | |
|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| Arg | Gly | Gly | Arg | Leu | Ser | Tyr | Ser | Arg | Arg | Arg | Phe | Ser | Val | Ser | Val |
| 1 | | | | 5 | | | | | 10 | | | | | 15 | |

Gly Arg

<210> 13

<211> 17

<212> PRT

<213> unidentified

<220>

<221> PEPTIDE

<222> (1)..(17)

<400> 13

| | | | | | | | | | | | | | | | |
|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| Lys | Trp | Ser | Phe | Arg | Val | Ser | Tyr | Arg | Gly | Ile | Ser | Tyr | Arg | Arg | Ser |
| 1 | | | | 5 | | | | | 10 | | | | | 15 | |

Arg

<211> 14

<212> PRT

<213> unidentified

<220>
 <221> PEPTIDE
 <222> (1)..(10)
 <400> 14
 Arg Arg Leu Ser Tyr Ser Arg Arg Arg Phe
 1 5 10

<210> 15
 <211> 16
 <212> PRT
 <213> unidentified
 <220>
 <221> PEPTIDE
 <222> (1)..(16)
 <223> Peptide with amino acids in D form
 <400> 15
 Arg Gln Ile Lys Ile Trp Phe Gln Asn Arg Arg Met Lys Trp Lys Lys
 1 5 10 15

<210> 16
 <211> 17
 <212> PRT
 <213> unidentified
 <220>
 <221> PEPTIDE
 <222> (1)..(17)
 <400> 16
 Cys Glu Asn Ile Lys Ile Trp Leu Ser Leu Arg Ser Tyr Leu Lys Arg
 1 5 10 15

Arg

<210> 17
 <211> 18
 <212> PRT
 <213> unidentified
 <220>
 <221> PEPTIDE
 <222> (1)..(18)
 <400> 17
 Arg Gly Gly Arg Leu Ala Tyr Leu Arg Arg Arg Trp Ala Val Leu Val
 1 5 10 15

Gly Arg